

## PREMIUM REFLECTIVE

XP3058 - 50cm wide

Premium Reflective features a 3M Scotchlite face film making it perfect for production of highly visible reflective logos for application to workwear and outerwear.

A4 samples are available free of charge upon request, for larger samples 1m rolls are available to purchase.

### STEP BY STEP

#### STEP 1

Cut your design in mirror image. Flock blade required.

#### STEP 2

Weed away any excess material.

#### STEP 3

Place transfer face down onto the garment with the transparent backing on top and press for 20 seconds at 160°C.

#### STEP 4

Remove the transparent backing warm (wait 5-10 seconds).

DURABILITY	MICRONS	FINISH	TACK	PEEL	PU OR PVC
60°C	160	Reflective	High	Warm	N/A

### PRODUCT INFORMATION

<b>SIZE:</b>	50cm wide x 1m, 5m, 25m rolls
<b>CUTTING FORCE:</b>	Flock blade (0.50) from 90gf *
<b>TRANSFER LAYERING:</b>	No

### SUITABLE FOR

**COTTON**  
**POLYESTER**  
**POLY/COTTON**

### ACCREDITATIONS

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100  
HOMENTEXM HT11 CLASS 1  
Tested for harmful substances.  
www.oeko-tex.com/standard100



**PLEASE NOTE:** Premium Reflective has full reflective properties conforming to EN471 (class 2)

### TRANSFER SETTINGS

<b>TIME</b>	20 seconds
<b>TEMP</b>	160°C
<b>PRESSURE</b>	Medium
<b>PEEL</b>	Warm (wait 5-10 seconds)

### CARE INFORMATION

**WASH UP TO 60°C INSIDE OUT**  
**CAN BE DRY CLEANED**  
**DO NOT TUMBLE DRY**  
**DO NOT IRON**  
**STORAGE** (Store vertically in a dry room between 15-30°C)

\* All force testing has been undertaken using a NEW blade on a Roland GS24. The force will increase with the age of the blade, therefore always test prior to use.

**PLEASE NOTE:** The sellers and manufacturers maximum obligation shall be to replace any product that has been proven to be defective. Neither the seller nor the manufacturer of Premium Reflective shall be liable for any injury direct or consequential, arising out of the use of, or inability to use this range. Premium Reflective has been tested using Kustom Kit garments, when applying to other garment brands results may vary, testing prior to purchase is recommended.